

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 8140-2121:0100 Page 1 of 1

CATEGORY: 8140 -- EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)

LISTEE: Pacific Wood Laminates, Inc. 885 Railroad Ave. PO Box 820, Brookings, OR 97415
Contact: Chris Johnson (541) 469-4177 Fax (541) 469-6153
Email: chrisj@socomi.com

DESIGN: "APA 303®" plywood siding with shiplap edges, nominal 19/32" thick (19/32 Performance Category) or greater and grooves spaced no closer than 4" on center or without grooves, and manufactured with veneers of all Southern Pine or Douglas Fir face, back and center with cross piles of PS1 Group 1 or 2 species, 4'x8' panel. Refer to the manufacturer's installation instructions and product data sheets.

RATING: Compliance in accordance with Chapter 7A of the California Building Code.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee name. Model number, rating and SFM label.

APPROVAL: Listed as exterior siding for use in the Wildland Urban Interface areas.

NOTE: Test Protocol SFM 12-7A-1

XLF: 8140-2020:0001

01-08-14 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2014**

Listing Expires **June 30, 2015**

Authorized By: **JAMES PARSEGIAN, Program Coordinator**
Fire Engineering Division